Author Index

Abbott, P.V. *see* Oliver, C.M.
Acosta, A.W. *see* Fouad, A.F.
Ahlquist, M., Henningsson, O., Hultenby, K. & Ohlin, J. The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533
Alavi, A. *see* Gulabivala, K.
Alavi, A. *see* Ng, Y-L.
Al-Fouzan, K.S. The microscopic diagnosis and treatment of a mandibular second premolar with four canals, 406
Al-Hazaimeh, N. & Gutteridge, D.L. An *in vitro* study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations, 40
Arai, T. *see* Yamaguchi, H.
von Arx, T., Gerber, C. & Hardt, N. Periradicular surgery of molars: a prospective clinical study with a one-year follow-up, 520
Ataç, A. *see* Taşman, F.
Aung, T.H. *see* Gulabivala, K.
Aung, T.H. *see* Ng, Y-L.

Balciuniene, I. *see* Peciuliene, V.
Barbakow, F. *see* Peters, C.I.
Bamman, L.L. *see* Estrela, C.
Berber, V.B. *see* Gomes, B.P.F.A.
Bergmans, L., Van Cleynenbreugel, J., Wevers, M. & Lambrechts, P. A methodology for quantitative evaluation of root canal instrumentation using microcomputed tomography, 390
Berry, C.W. *see* Gilbert, S.D.
Bertrand, M-F., Lupi-Pégurier, L., Médioni, E., Muller, M. & Bolla, M. Curved molar root canal preparations using Hero 642 rotary nickel–titanium instruments, 631
Betti, L.V. & Bramante, C.M. Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514
Bolla, M. *see* Bertrand, M-F.
Bonifácio, K.C. *see* Tanomaru Filho, M.
Bonow, M.L.M. *see* Teixeira, L.S.
Bou Dagher, F.E. *see* Yared, G.M.
Bou Dagher, F.E. *see* Yared, G.M.
Bovi, M. *see* Pecora, G.
Bramante, C.M. *see* Betti, L.V.
Briseño Marroquín, B., Wolter, D. & Willershausen-Zönnchen, B. Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points, 23
Brown, D.C. *see* Gluskin, A.H.
Bryant, S.T. *see* Griffiths, I.T.
Bryant, S.T. *see* Hayes, S.J.
Buchanan, L.S. *see* Gluskin, A.H.
Buchanan, L.S. The standardized-taper root canal preparation – Part 2. GT file selection and safe handpiece-driven file use, 63
Buchanan, L.S. The standardized-taper root canal preparation – Part 3. GT file technique in Large Root canals with small apical diameters, 149
Buchanan, L.S. The standardized-taper root canal preparation – Part 4. GT file technique in Large Root canals with large apical diameters, 157
Buchanan, L.S. The standardized-taper root canal preparation – Part 5. GT file technique in Small Root canals, 244
Buchanan, L.S. The standardized-taper root canal preparation – Part 6. GT file technique in abruptly curved canals, 250

Carvalhais, H.P.M. *see* Da Motta, P.G.
Chandler, N.P., Pitt Ford, T.R. & Watson, T.F. Pattern of transmission of laser light through carious molar teeth, 526
Chassot, A.L. *see* Griffiths, I.T.
Chen, M-C. *see* Harn, W-M.
Chen, Y-H.M. *see* Harn, W-M.
Chung, C-H. *see* Harn, W-M.
Cohen, B.D. *see* Combe, E.C.
Combe, E.C., Cohen, B.D. & Cummings, K. Alpha- and beta-forms of gutta-percha in products for root canal filling, 447
Coppola, M.C. *see* Teixeira, L.S.
Cornelini, R. *see* Pecora, G.
Cox, C.F. *see* Yamaguchi, H.
Cummings, K. *see* Combe, E.C.

D'Arcangelo, C., Varvara, G. & De Fazio, P. Root canal treatment in mandibular canines with two roots: a report of two cases, 331
Dağdeviren, A. *see* Taşman, F.
Dametto, F.R. *see* Tanomaru Filho, M.
De Fazio, P. *see* D'Arcangelo, C.
De Leonardis, D. *see* Pecora, G.
Demarco, F.F. *see* Teixeira, L.S.
Demarco, F.F., Freitas, J.M., Silva, M.P. & Justino, L.M. Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching, 495
Dummer, P.M.H. Editorial, 573
Dummer, P.M.H. *see* Hayes, S.J.
Dummer, P.M.H. *see* Jenkins, S.M.
Dummer, P.M.H. *see* Griffiths, I.T.

Er, N. *see* Taşman, F.
Estrela, C., Bamman, L.L., Pimenta, F.C. & Pécora, J.D. Control of microorganisms *in vitro* by calcium hydroxide pastes, 341
Evans, G.E., Speight, P.M. & Gulabivala, K. The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322

Fabra-Campos, H. & Rodríguez-Vallejo, J. Digitization, analysis and processing of dental images during root canal preparation with Quantec Series 2000 instruments, 29
Fava, L.R.G. Calcium hydroxide in endodontic retreatment after two nonsurgical and two surgical failures: report of a case, 72
Fava, L.R.G. Root canal treatment in an unusual maxillary first molar: a case report, 649
Favieri, A. *see* Siqueira Jr, J.F.
Ferrari, M. *see* Mjör, I.A.
Ferraz, C.C.R. *see* Gomes, B.P.F.A.

© 2001 Blackwell Science Ltd

Ferraz, C.C.R., Gomes, N.V., Gomes, B.P.F.A., Zaia, A.A., Teixeira, F.B. & Souza-Filho, F.J. Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques, 354
Ferreira, J.J., Rhodes, J.S. & Pitt Ford, T.R. The efficacy of gutta-percha removal using ProFiles, 267
Figueiredo, J.A.P., Pesce, H.F., Gioso, M.A. & Figueiredo, M.A.Z. The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
de Figueiredo, C.B.O. *see* da Motta, P.G.
Figueiredo, M.A.Z. *see* Figueiredo, J.A.P.
Forner-Navarro, L. *see* Martinez-Lozano, M.A.
Fouad, A.F. & Acosta, A.W. Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506
Frais, S., Ng, Y-L. & Gulabivala, K. Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite, 206
Franchi, M. *see* Pérez, F.
Freitas, J.M. *see* Demarco, F.F.

Gambarini, G. Cyclic fatigue of ProFile rotary instruments after prolonged clinical use, 386
Garip, Y. & Günday, M. The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
Georgopoulou, M.K. *see* Kontakiotis, E.G.
Gerber, C. *see* von Arx, T.
Gibson, M. *see* Hayes, S.J.
Gilbert, S.D., Witherspoon, D.E. & Berry, C.W. Coronal leakage following three obturation techniques, 293
Gioso, M.A. *see* Figueiredo, J.A.P.
Gluskin, A.H., Brown, D.C. & Buchanan, L.S. A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
Gomes, A.P.M., Kubo, C.H., Santos, R.A.B., Santos, D.R. & Padilha, R.Q. The influence of ultrasound on the retention of cast posts cemented with different agents, 93
Gomes, B.P.F.A. *see* Ferraz, C.C.R.
Gomes, B.P.F.A., Ferraz, C.C.R., Vianna, M.E., Berber, V.B., Teixeira, F.B. & Souza-Filho, F.J. *In vitro* antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*, 424
Gomes, N.V. *see* Ferraz, C.C.R.
Griffiths, I.T., Chassot, A.L., Nascimento, M.F., Bryant, S.T. & Dummer, P.M.H. Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals, 107
Grigoratos, D., Knowles, J., Ng, Y-L. & Gulabivala, K. Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus, 113
Gröndahl, H-G. *see* Shearer, A.C.
Gulabivala, K. *see* Evans, G.E.
Gulabivala, K. *see* Frais, S.
Gulabivala, K. *see* Grigoratos, D.
Gulabivala, K. *see* Mannan, G.
Gulabivala, K. *see* Matharu, S.
Gulabivala, K. *see* Ng, Y-L.
Gulabivala, K. *see* Regan, J.D.
Gulabivala, K. *see* Sim, T.P.C.
Gulabivala, K. *see* Spratt, D.A.
Gulabivala, K., Aung, T.H., Alavi, A. & Ng, Y-L. Root and canal morphology of Burmese mandibular molars, 359
Günday, M. *see* Garip, Y.
Gutmann, J.L. *see* Levine, D.F.
Gutmann, J.L. *see* Peterson, J.
Gutteridge, D.L. *see* Al-Hazaimeh, N.

Haapasalo, H. *see* Portenier, I.
Haapasalo, M. *see* Peciuliene, V.
Haapasalo, M. *see* Portenier, I.
Hammond, M. *see* Hayes, S.J.
Hardt, N. *see* von Arx, T.
Harn, W-M., Chen, M-C., Chen, Y-H.M., Liu, J-W. & Chung, C-H. Effect of occlusal trauma on healing of periapical pathoses: report of two cases, 554
Hashimura, T., Sato, M. & Hoshino, E. Detection of *Slackia exigua*, *Mogibacterium timidum* and *Eubacterium saphenum* from pulpal and periradicular samples using the Polymerase Chain Reaction (PCR) method, 463
Hata, G., Hayami, S., Weine, F.S. & Toda, T. Effectiveness of oxidative potential water as a root canal irrigant, 308
Hayami, S. *see* Hata, G.
Hayes, S.J. *see* Jenkins, S.M.
Hayes, S.J., Gibson, M., Hammond, M., Bryant, S.T. & Dummer, P.M.H. An audit of root canal treatment performed by undergraduate students, 501
Henningsson, O. *see* Ahlquist, M.
Horner, K. *see* Shearer, A.C.
Hörsted-Bindslev, P. *see* Kirkevang, L-L.
Hörsted-Bindslev, P. *see* Kirkevang, L-L.
Hoshino, E. *see* Hashimura, T.
Hosoya, N. *see* Yamaguchi, H.
Hülsmann, M., Schade, M. & Schäfers, F. A comparative study of root canal preparation with HERO 642 and Quantec SC rotary Ni–Ti instruments, 538
Hultenby, K. *see* Ahlquist, M.

Iacopino, A.M. *see* Levine, D.F.
Ibrahim, N. *see* Pecora, G.

Jenkins, S.M., Hayes, S.J. & Dummer, P.M.H. A study of endodontic treatment carried out in dental practice within the UK, 16
Justino, L.M. *see* Demarco, F.F.

Kast'áková, A. *see* Wu, M-K.
Kendir, B. *see* Taşman, F.
Kirkevang, L-L., Hörsted-Bindslev, P., Ørstavik, D. & Wenzel, A. Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population, 198
Kirkevang, L-L., Hörsted-Bindslev, P., Ørstavik, D. & Wenzel, A. A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
Knowles, J. *see* Grigoratos, D.
Knowles, J.C. *see* Sim, T.P.C.
Kobayashi, K. *see* Yamaguchi, H.
Kontakiotis, E.G., Georgopoulou, M.K. & Morfis, A.S. Dye penetration in dry and water-filled gaps along root fillings, 133
Kubo, C.H. *see* Gomes, A.P.M.
Kurayama, H. *see* Ozawa, T.

© 2001 Blackwell Science Ltd

Laib, A. *see* Peters, O.A.
Lambrechts, P. *see* Bergmans, L.
Lambrianidis, T., Lyroudia, K., Pandelidou, O. & Nicolaou, A. Evaluation of periapical radiographs in the recognition of C-shaped mandibular second molars, 458
Lee, H.J. *see* Park, D.S.
Leonardo, M.R. *see* Tanomaru Filho, M.
Levine, D.F., Witherspoon, D.E., Gutmann, J.L., Nunn, M.E., Newman, J.T. & Iacopino, A.M. The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
Liu, J-W. *see* Harn, W-M.
Llena-Puy, C. *see* Martinez-Lozano, M.A.
Lopes, H.P. *see* Siqueira Jr, J.F.
Love, R.M. *Enterococcus faecalis* – a mechanism for its role in endodontic failure, 399
Lupi-Pégurier, L. *see* Bertrand, M-F.
Lyroudia, K. *see* Lambrianidis, T.

Macfarlane, T.V. *see* Shearer, A.C.
Machtou, P. *see* Yared, G.M.
Machtou, P. *see* Yared, G.M.
Maltos, K.L.M. *see* Da Motta, P.G.
Maltos, S.M.M. *see* Da Motta, P.G.
Mannan, G., Smallwood, E.R. & Gulabivala, K. Effect of access cavity location and design on degree and distribution of instrumented root canal surface in maxillary anterior teeth, 176
Mannocci, F. *see* Mjör, I.A.
Marais, J.T. & Williams, W.P. Antimicrobial effectiveness of electrochemically activated water as an endodontic irrigation solution, 237
Martinez-Lozano, M.A., Forner-Navarro, L., Sánchez-Cortés, J.L. & Llena-Puy, C. Methodological considerations in the determination of working length, 371
Matharu, S., Spratt, D.A., Pratten, J., Ng, Y-L., Mordan, N., Wilson, M. & Gulabivala, K. A new *in vitro* model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation, 547
McCaul, L.K., McHugh, S. & Saunders, W.P. The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
McHugh, S. *see* McCaul, L.K.
Médioni, E. *see* Bertrand, M-F.
Meredith, N. *see* Regan, J.D.
Mjör, I.A., Smith, M.R., Ferrari, M. & Mannocci, F. The structure of dentine in the apical region of human teeth, 346
Mordan, N. *see* Matharu, S.
Morfis, A.S. *see* Kontakiotis, E.G.
da Motta, P.G., de Figueiredo, C.B.O., Maltos, S.M.M., Nicoli, J.R., Ribeiro Sobrinho, A.P., Maltos, K.L.M. & Carvalhais, H.P.M. Efficacy of chemical sterilization and storage conditions of gutta-percha cones, 435
Mullane, E. *see* Shearer, A.C.
Muller, M. *see* Bertrand, M-F.
Munksgaard, E.C. *see* Rud, J.

Nakamura, J. *see* Ozawa, T.
Nakamura, J. *see* Yamaguchi, H.
Nakano, M. *see* Ozawa, T.
Nascimento, M. *see* Griffiths, I.T.
Newman, J.T. *see* Levine, D.F.
Ng, Y-L., Aung, T.H., Alavi, A. & Gulabivala, K. Root and canal morphology of Burmese maxillary molars, 620
Ng, Y-L. *see* Frais, S.
Ng, Y-L. *see* Grigoratos, D.
Ng, Y-L. *see* Gulabivala, K.
Ng, Y-L. *see* Matharu, S.
Ng, Y-L. *see* Sim, T.P.C.
Nicolaou, A. *see* Lambrianidis, T.
Nicoli, J.R. *see* Da Motta, P.G.
Nunn, M.E. *see* Levine, D.F.

Oh, T.S. *see* Park, D.S.
Ohlin, J. *see* Ahlquist, M.
Oliveira, J.C.M. *see* Siqueira Jr, J.F.
Oliver, C.M. & Abbott, P.V. Correlation between clinical success and apical dye penetration, 637
Ørstavik, D. *see* Kirkevang, L-L.
Ørstavik, D. *see* Kirkevang, L-L.
Ørstavik, D. *see* Portenier, I.
Ozawa, T., Nakano, M., Sugimura, H., Kurayama, H., Tahata, K., Nakamura, J. & Shiozawa, K. Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100

Padilha, R.Q. *see* Gomes, A.P.M.
Pandelidou, O. *see* Lambrianidis, T.
Park, D.S., Lee, H.J., Yoo, H.M. & Oh, T.S. Effect of Nd:YAG laser irradiation on the apical leakage of obturated root canals: an electrochemical study, 318
Peciuliene, V., Reynaud, A.H., Balciuniene, I. & Haapasalo, M. Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
Pecora, G., De Leonardis, D., Ibrahim, N., Bovi, M. & Cornelini, R. The use of calcium sulphate in the surgical treatment of a 'through and through' periradicular lesion, 189
Pécora, J.D. *see* Estrela, C.
Péli, J.F. *see* Pérez, F.
Pérez, F., Franchi, M. & Péli, J.F. Effect of calcium hydroxide form and placement on root dentine pH, 417
Pesce, H.F. *see* Figueiredo, J.A.P.
Peters, C.I., Peters, O.A. & Barbakow, F. An *in vitro* study comparing root-end cavities prepared by diamond-coated and stainless steel ultrasonic retrotips, 142
Peters, O.A. *see* Peters, C.I.
Peters, O.A., Schönenberger, K. & Laib, A. Effects of four Ni–Ti preparation techniques on root canal geometry assessed by micro computed tomography, 221
Peterson, J. & Gutmann, J.L. The outcome of endodontic resurgery: a systematic review, 169
Pimenta, F.C. *see* Estrela, C.
Pitt Ford, T.R. *see* Chandler, N.P.
Pitt Ford, T.R. *see* Ferreira, J.J.
Portenier, I., Haapasalo, H., Rye, A., Waltimo, T., Ørstavik, D. & Haapasalo, M. Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
Pratten, J. *see* Matharu, S.
Pratten, J. *see* Spratt, D.A.

Ree, M.H. An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
Regan, J.D., Sherriff, M., Meredith, N. & Gulabivala, K. A survey of interfacial forces used during endosonic instrumentation of root canals, 54

© 2001 Blackwell Science Ltd

Reynaud, A.H. *see* Peciuliene, V.
Rhodes, J.S. A case of unusual anatomy: a mandibular second premolar with four canals, 645
Rhodes, J.S. *see* Ferreira, J.J.
Ribeiro Sobrinho, A.P. *see* Da Motta, P.G.
Ricucci, D. Series of papers by Dr L. S. Buchanan: The standardized-taper root canal preparation – Parts 1 to 6, 411
Rôças, I.N. *see* Siqueira Jr, J.F.
Rodríguez-Vallejo, J. *see* Fabra-Campos, H.
Rud, J., Rud, V. & Munksgaard, E.C. Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
Rud, V. *see* Rud, J.
Rye, A. *see* Portenier, I.

Sánchez-Cortés, J.L. *see* Martinez-Lozano, M.A.
Santos, D.R. *see* Gomes, A.P.M.
Santos, K.R.N. *see* Siqueira Jr, J.F.
Santos, R.A.B. *see* Gomes, A.P.M.
Sato, M. *see* Hashimura, T.
Saunders, W.P. *see* McCaul, L.K.
Schade, M. *see* Hülsmann, M.
Schäfers, F. *see* Hülsmann, M.
Schönenberger, K. *see* Peters, O.A.
de Schwartz, F.B.C. *see* Wu, M-K.
Shearer, A.C. *see* Wasti, F.
Shearer, A.C., Mullane, E., Macfarlane, T.V., Gröndahl, H.-G. & Horner, K. Three phosphor plate systems and film compared for imaging root canals, 275
Shelton, J. *see* Sim, T.P.C.
Sherriff, M. *see* Regan, J.D.
Shiozawa, K. *see* Ozawa, T.
Silva, I.A.B. *see* Tanomaru Filho, M.
Silva, M.P. *see* Demarco, F.F.
Sim, T.P.C., Knowles, J.C., Ng, Y-L., Shelton, J. & Gulabivala, K. Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain, 120
Siqueira Jr, J.F. & Lopes, H.P. Bacteria on the apical root surfaces of untreated teeth with periradicular lesions: a scanning electron microscopy study, 216
Siqueira Jr, J.F. Aetiology of root canal treatment failure: why well-treated teeth can fail, 1
Siqueira Jr, J.F., Rôças, I.N., Favieri, A., Oliveira, J.C.M. & Santos, K.R.N. Polymerase chain reaction detection of *Treponema denticola* in endodontic infections within root canals, 280
van der Sluis, L.W.M. *see* Wu, M-K.
Smallwood, E.R. *see* Mannan, G.
Smith, M.R. *see* Mjör, I.A.
Souza-Filho, F.J. *see* Ferraz, C.C.R.
Souza-Filho, F.J. *see* Gomes, B.P.F.A.
Speight, P.M. *see* Evans, G.E.
Spratt, D.A. *see* Matharu, S.
Spratt, D.A., Pratten, J., Wilson, M. & Gulabivala, K. An *in vitro* evaluation of the antimicrobial efficacy of irrigants on biofilms of root canal isolates, 300
Sugimura, H. *see* Ozawa, T.

Taşman, F., Ataç, A., Er, N., Dağdeviren, A. & Kendir, B. Expression of β1 integrins in human dental pulp *in vivo*: a comparative immunohistochemical study on healthy and chronic marginal periodontitis samples, 11
Tahata, K. *see* Ozawa, T.
Tanomaru Filho, M., Leonardo, M.R., Bonifácio, K.C., Dametto, F.R. & Silva, I.A.B. The use of ultrasound for cleaning the surface of stainless steel and nickel–titanium endodontic instruments, 581
Teixeira, F.B. *see* Ferraz, C.C.R.
Teixeira, F.B. *see* Gomes, B.P.F.A.
Teixeira, L.S., Demarco, F.F., Coppola, M.C. & Bonow, M.L.M. Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution, 440
Toda, T. *see* Hata, G.

Van Cleynenbreugel, J. *see* Bergmans, L.
Varvara, G. *see* D'Arcangelo, C.
Vianna, M.E. *see* Gomes, B.P.F.A.

Waltimo, T. *see* Portenier, I.
Wasti, F., Shearer, A.C. & Wilson, N.H.F. Root canal systems of the mandibular and maxillary first permanent molar teeth of South Asian Pakistanis, 263
Watson, T.F. *see* Chandler, N.P.
Weine, F.S. *see* Hata, G.
Wenzel, A. *see* Kirkevang, L-L.
Wenzel, A. *see* Kirkevang, L-L.
Wesselink, P.R. *see* Wu, M-K.
Wesselink, P.R. *see* Wu, M-K.
Wesselink, P.R. *see* Wu, M-K.
Wevers, M. *see* Bergmans, L.
Willershausen-Zönnchen, B. *see* Briseño Marroquín, B.
Williams, W.P. *see* Marais, J.T.
Wilson, M. *see* Matharu, S.
Wilson, M. *see* Spratt, D.A.
Wilson, N.H.F. *see* Wasti, F.
Witherspoon, D.E. *see* Gilbert, S.D.
Witherspoon, D.E. *see* Levine, D.F.
Wolter, D. *see* Briseño Marroquín, B.
Wu, M-K. & Wesselink, P.R. A primary observation on the preparation and obturation of oval canals, 137
Wu, M-K., de Schwartz, F.B.C., van der Sluis, L.W.M. & Wesselink, P.R. The quality of root fillings remaining in mandibular incisors after root-end cavity preparation, 613
Wu, M-K., Kast'áková, A. & Wesselink, P.R. Quality of cold and warm gutta-percha fillings in oval canals in mandibular premolars, 485

Yamaguchi, H., Hosoya, N., Kobayashi, K., Yokota, T., Arai, T., Nakamura, J. & Cox, C.F. The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein, 231
Yared, G.M., Bou Dagher, F.E. & Machtou, P. Failure of ProFile instruments used with high and low torque motors, 471
Yared, G.M., Bou Dagher, F.E. & Machtou, P. Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
Yokota, T. *see* Yamaguchi, H.
Yoo, H.M. *see* Park, D.S.

Zaia, A.A. *see* Ferraz, C.C.R.

© 2001 Blackwell Science Ltd

Keyword Index

3D reconstruction. A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators. 476

AAGPR. Detection of *Slackia exigua, Mogibacterium timidum* and *Eubacterium saphenum* from pulpal and periradicular samples using the Polymerase Chain Reaction (PCR) method. 463

aberrations. Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals. 107

access cavity design. Effect of access cavity location and design on degree and distribution of instrumented root canal surface in maxillary anterior teeth. 176

accessory root canals. The structure of dentine in the apical region of human teeth. 346

adhesion. *Enterococcus faecalis* – a mechanism for its role in endodontic failure. 399

adhesion molecules. Expression of β1 integrins in human dental pulp *in vivo*: a comparative immunohistochemical study on healthy and chronic marginal periodontitis samples. 11

aetiology. Aetiology of root canal treatment failure: why well-treated teeth can fail. 1

anatomical variations. The microscopic diagnosis and treatment of a mandibular second premolar with four canals. 406

anatomy. Root canal treatment in mandibular canines with two roots: a report of two cases. 331
A case of unusual anatomy: a mandibular second premolar with four canals. 645

antimicrobial activity. *In vitro* antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*. 424

antimicrobial. An *in vitro* evaluation of the antimicrobial efficacy of irrigants on biofilms of root canal isolates. 300
Antimicrobial effectiveness of electro-chemically activated water as an endodontic irrigation solution. 237

apical control. The standardized-taper root canal preparation – Part 4. GT file technique in Large Root canals with large apical diameters. 157

apical dye penetration. Correlation between clinical success and apical dye penetration. 637

apical extrusion. Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques. 354

apical leakage. Effect of Nd:YAG laser irradiation on the apical leakage of obturated root canals: an electrochemical study. 318

apical periodontitis. Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population. 198
A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98. 607

apical surgery. An *in vitro* study comparing root-end cavities prepared by diamond-coated and stainless steel ultrasonic retrotips. 142

atubular dentine. The structure of dentine in the apical region of human teeth. 346

audit. An audit of root canal treatment performed by undergraduate students. 501

automated root canal preparation. A comparative study of root canal preparation with HERO 642 and Quantec SC rotary Ni–Ti instruments. 538

bacteria. Bacteria on the apical root surfaces of untreated teeth with periradicular lesions: a scanning electron microscopy study. 216
Coronal leakage following three obturation techniques. 293

bilirubin. The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein. 231

biofilms. A new *in vitro* model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation. 547

bleaching. Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching. 495

bone grafting. The use of calcium sulphate in the surgical treatment of a 'through and through' periradicular lesion. 189

bone resorption. Periapical lesion progression and cytokine expression in an LPS hyporesponsive model. 506

bovine serum albumin. Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin. 184

branching of tubules. The structure of dentine in the apical region of human teeth. 346

calcium hydroxide. Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution. 440
Control of microorganisms *in vitro* by calcium hydroxide pastes. 341
Effect of calcium hydroxide form and placement on root dentine pH. 417
Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus. 113
Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin. 184
Calcium hydroxide in endodontic retreatment after two nonsurgical and two surgical failures: report of a case. 72

calcium sulphate. The use of calcium sulphate in the surgical treatment of a 'through and through' periradicular lesion. 189

canal geometry. Effects of four Ni–Ti preparation techniques on root canal geometry assessed by micro computed tomography. 221

canal preparation. The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study. 533

© 2001 Blackwell Science Ltd

Curved molar root canal preparations using Hero 642 rotary nickel–titanium instruments, 631
canal shape, Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals, 107
canal shaping, A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
canal transportation, A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
canals, A case of unusual anatomy: a mandibular second premolar with four canals, 645
Candida albicans, Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
caries, Pattern of transmission of laser light through carious molar teeth, 526
CD4, The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
CD8, The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
cementation, The influence of ultrasound on the retention of cast posts cemented with different agents, 93
chemical sterilization, Efficacy of chemical sterilization and storage conditions of gutta-percha cones, 435
chlorhexidine, *In vitro* antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*, 424
Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
cleanliness, The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533
collagen, *Enterococcus faecalis* – a mechanism for its role in endodontic failure, 399
colony-forming units, Antimicrobial effectiveness of electrochemically activated water as an endodontic irrigation solution, 237
composite cores, An *in vitro* study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations, 40
computerized tomography, A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
concentration, Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite, 206
constant depth film fermentor, A new *in vitro* model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation, 547
control of microorganisms, Control of microorganisms *in vitro* by calcium hydroxide pastes, 341
coronal leakage, Coronal leakage following three obturation techniques, 293
C-shaped mandibular molars, Evaluation of periapical radiographs in the recognition of C-shaped mandibular second molars, 458
CT, The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
curved canal, The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
curved canals, The standardized-taper root canal preparation – Part 6. GT file technique in abruptly curved canals, 250
cyclic fatigue, Cyclic fatigue of ProFile rotary instruments after prolonged clinical use, 386
cytokines, Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506

decisions, The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
Denmark, A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
dental caries, Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution, 440
dental practice, A study of endodontic treatment carried out in dental practice within the UK, 16
dental pulp, Expression of β1 integrins in human dental pulp *in vivo*: a comparative immunohistochemical study on healthy and chronic marginal periodontitis samples, 11
dental specialty, The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
dentinal tubules, The structure of dentine in the apical region of human teeth, 346
dentine, Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus, 113
Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain, 120
Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
Pattern of transmission of laser light through carious molar teeth, 526
dentine-bonded composite, Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
dentine-bonding agents, Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching, 495
diagnosis, An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
Evaluation of periapical radiographs in the recognition of C-shaped mandibular second molars, 458
The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
digital imaging, Three phosphor plate systems and film compared for imaging root canals, 275
digital radiography, Methodological considerations in the determination of working length, 371
dye, Coronal leakage following three obturation techniques, 293
Dye penetration in dry and water-filled gaps along root fillings, 133

elastic modulus, Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus, 113

© 2001 Blackwell Science Ltd

electrochemical method. Effect of Nd:YAG laser irradiation on the apical leakage of obturated root canals: an electrochemical study, 318
electrochemically activated water. Antimicrobial effectiveness of electro-chemically activated water as an endodontic irrigation solution, 237
electronic apex locator. Methodological considerations in the determination of working length, 371
EMG. Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100
endodontic failure. Aetiology of root canal treatment failure: why well-treated teeth can fail, 1
Calcium hydroxide in endodontic retreatment after two nonsurgical and two surgical failures: report of a case, 72
endodontic infection. Polymerase chain reaction detection of *Treponema denticola* in endodontic infections within root canals, 280
endodontic instrument. Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100
endodontic instruments. The use of ultrasound for cleaning the surface of stainless steel and nickel–titanium endodontic instruments, 581
endodontic retreatment. Calcium hydroxide in endodontic retreatment after two nonsurgical and two surgical failures: report of a case, 72
endodontic sealers. The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
endodontic surgery. Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
endodontically treated teeth. Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching, 495
endodontics. Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques, 354
Detection of *Slackia exigua, Mogibacterium timidum* and *Eubacterium saphenum* from pulpal and periradicular samples using the Polymerase Chain Reaction (PCR) method, 463
Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population, 198
In vitro antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*, 424
Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
Root canal treatment in mandibular canines with two roots: a report of two cases, 331
The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322
The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
Correlation between clinical success and apical dye penetration, 637
A study of endodontic treatment carried out in dental practice within the UK, 16
endosonics. A survey of interfacial forces used during endosonic instrumentation of root canals, 54
engine-driven techniques. Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques, 354
enteric rods. Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
Enterococcus faecalis. Enterococcus faecalis – a mechanism for its role in endodontic failure, 399
Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
epidemiology. Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population, 198
external anatomy. Root canal treatment in an unusual maxillary first molar: a case report, 649
extraradicular infection, 216

failure. Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
ferrule. An *in vitro* study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations, 40
file selection. The standardized-taper root canal preparation – Part 2. GT file selection and safe handpiece-driven file use, 63
finger spreaders. Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points, 23
FIV. The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
flexural strength. Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus, 113
forearm. Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100
foreign body reaction. An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
fracture. An *in vitro* study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations, 40

gaps. Dye penetration in dry and water-filled gaps along root fillings, 133
GT files. The standardized-taper root canal preparation – Part 4. GT file technique in Large Root canals with large apical diameters, 157
The standardized-taper root canal preparation – Part 5. GT file technique in Small Root canals, 244
The standardized-taper root canal preparation – Part 6. GT file technique in abruptly curved canals, 250
gutta-percha cones. Efficacy of chemical sterilization and storage conditions of gutta-percha cones, 435
gutta-percha removal. Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514
gutta-percha. Alpha- and beta-forms of gutta-percha in products for root canal filling, 447
Quality of cold and warm gutta-percha fillings in oval canals in mandibular premolars, 485

© 2001 Blackwell Science Ltd

The efficacy of gutta-percha removal using ProFiles, 267
Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points, 23

haemolysis, The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein, 231
hand, Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100
handle diameters, Effects of endodontic instrument handle diameter on electromyographic activity of forearm and hand muscles, 100
HERO 642, A comparative study of root canal preparation with HERO 642 and Quantec SC rotary Ni–Ti instruments, 538
HIV, The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
hydrogen peroxide, Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching, 495
hydroxyl ions, Effect of calcium hydroxide form and placement on root dentine pH, 417
hydroxylapatite, Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184

immunohistochemistry, Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506
impression taking, An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
inactivation, Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
instrument failure, Failure of ProFile instruments used with high and low torque motors, 471
instrumental canal surface, Effect of access cavity location and design on degree and distribution of instrumented root canal surface in maxillary anterior teeth, 176
integrins, Expression of β1 integrins in human dental pulp *in vivo*: a comparative immunohistochemical study on healthy and chronic marginal periodontitis samples, 11
interfacial forces, A survey of interfacial forces used during endosonic instrumentation of root canals, 54
internal anatomy, Root canal treatment in an unusual maxillary first molar: a case report
intracanal dressing, Control of microorganisms *in vitro* by calcium hydroxide pastes, 341
intrapulpal injection, Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution, 440
iodine potassium iodide, Inactivation of root canal medicaments by dentine, hydroxylapatite and bovine serum albumin, 184
irrigant, An *in vitro* evaluation of the antimicrobial efficacy of irrigants on biofilms of root canal isolates, 301
Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain, 120
irrigation solution, Antimicrobial effectiveness of electrochemically activated water as an endodontic irrigation solution, 237
irrigation, The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322

Large Root canals, The standardized-taper root canal preparation – Part 3, GT file technique in Large Root canals with small apical diameters, 149
laser light transmission, Pattern of transmission of laser light through carious molar teeth, 526
lateral compaction, Coronal leakage following three obturation techniques, 293
lateral condensation, Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points, 23
leakage, The quality of root fillings remaining in mandibular incisors after root-end cavity preparation, 613
Correlation between clinical success and apical dye penetration, 637
lipopolysaccharides, Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506
low torque motor, Failure of ProFile instruments used with high and low torque motors, 471

mandibular canine, Root canal treatment in mandibular canines with two roots: a report of two cases, 331
mandibular molar, Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
Root and canal morphology of Burmese mandibular molars, 359
Root canal systems of the mandibular and maxillary first permanent molar teeth of South Asian Pakistanis, 263
mandibular premolars, The microscopic diagnosis and treatment of a mandibular second premolar with four canals, 406
manual techniques, Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques, 354
maxillary molar, Root canal systems of the mandibular and maxillary first permanent molar teeth of South Asian Pakistanis, 263
Root and canal morphology of Burmese maxillary molars, 620
mechanical preparation, Digitization, analysis and processing of dental images during root canal preparation with Quantec Series 2000 instruments, 29
meta-analysis, The outcome of endodontic resurgery: a systematic review, 169
methylene blue, Dye penetration in dry and water-filled gaps along root fillings, 133
mice, Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506
microcomputed tomography, A methodology for quantitative evaluation of root canal instrumentation using microcomputed tomography, 390
micro-CT, Effects of four Ni–Ti preparation techniques on root canal geometry assessed by micro computed tomography, 221
microleakage, A new *in vitro* model for the study of microbial microleakage around dental restorations: a preliminary qualitative evaluation, 547
microleakage, Microleakage in endodontically treated teeth: influence of calcium hydroxide dressing following bleaching, 495
molar, Periradicular surgery of molars: a prospective clinical study with a one-year follow-up, 520
morphology, Root and canal morphology of Burmese mandibular molars, 359
Root and canal morphology of Burmese maxillary molars, 620

© 2001 Blackwell Science Ltd

NaOCl. The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein, 231
Nd:YAG laser. Effect of Nd:YAG laser irradiation on the apical leakage of obturated root canals: an electrochemical study, 318
nickel–titanium files. The efficacy of gutta-percha removal using ProFiles, 267
nickel–titanium rotary files. A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
nickel–titanium. Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals, 107
Cyclic fatigue of ProFile rotary instruments after prolonged clinical use, 386
Failure of ProFile instruments used with high and low torque motors, 471
Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514
The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533
The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322
Curved molar root canal preparations using Hero 642 rotary nickel–titanium instruments, 631
Digitization, analysis and processing of dental images during root canal preparation with Quantec Series 2000 instruments, 29
Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
Ni–Ti files. The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
Ni–Ti instruments. A comparative study of root canal preparation with HERO 642 and Quantec SC rotary Ni–Ti instruments, 538
The use of ultrasound for cleaning the surface of stainless steel and nickel–titanium endodontic instruments, 581
Ni–Ti. Effects of four Ni–Ti preparation techniques on root canal geometry assessed by micro computed tomography, 221

obturation. The microscopic diagnosis and treatment of a mandibular second premolar with four canals, 406
occlusal trauma. Effect of occlusal trauma on healing of periapical pathoses: report of two cases, 554
operator's proficiency. Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
oral mucosa pigmentation. The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
outcomes. The outcome of endodontic resurgery: a systematic review, 169
oval canal. A primary observation on the preparation and obturation of oval canals, 137
oxidative potential water (OPW). Effectiveness of oxidative potential water as a root canal irrigant, 308

PCR method. Detection of *Slackia exigua, Mogibacterium timidum* and *Eubacterium saphenum* from pulpal and periradicular samples using the Polymerase Chain Reaction (PCR) method, 463
periapical healing. Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
periapical lesions. Periapical lesion progression and cytokine expression in an LPS hyporesponsive model, 506
periapical pathoses. Effect of occlusal trauma on healing of periapical pathoses: report of two cases, 554
periradicular lesion. The effect of FIV infection on $CD4^+$ and $CD8^+$ counts in periradicular lesions, 586
periradicular surgery. The use of calcium sulphate in the surgical treatment of a 'through and through' periradicular lesion, 189
Periradicular surgery of molars: a prospective clinical study with a one-year follow-up, 520
PGP. The quality of root fillings remaining in mandibular incisors after root-end cavity preparation, 613
pH. Effect of calcium hydroxide form and placement on root dentine pH, 417
The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein, 231
polyethylene tubes. The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
polymerase chain reaction. Polymerase chain reaction detection of *Treponema denticola* in endodontic infections within root canals, 280
posts. An *in vitro* study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations, 40
post removal. The influence of ultrasound on the retention of cast posts cemented with different agents, 93
predentine. The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322
premolar. A case of unusual anatomy: a mandibular second premolar with four canals, 645
ProFile. Failure of ProFile instruments used with high and low torque motors, 471
Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
Profile. The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533
proteins. The influence of two concentrations of sodium hypochlorite on human blood: changes in haemolysis, pH and protein, 231
pulp capping. Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution, 440
pulp. The influence of preparation technique and sodium hypochlorite on removal of pulp and predentine from root canals of posterior teeth, 322
pulpotomy. Clinical and radiographic evaluation of pulpotomies performed under intrapulpal injection of anaesthetic solution, 440

quality. A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
Quantec SC. A comparative study of root canal preparation with HERO 642 and Quantec SC rotary Ni–Ti instruments, 538
Quantec System. Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514

© 2001 Blackwell Science Ltd

quantitative analysis, Effects of four Ni–Ti preparation techniques on root canal geometry assessed by micro computed tomography, 221
quantitative methodology, A methodology for quantitative evaluation of root canal instrumentation using micro-computed tomography, 390

radiographs, Evaluation of periapical radiographs in the recognition of C-shaped mandibular second molars, 458
The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
radiology, Frequency and distribution of endodontically treated teeth and apical periodontitis in an urban Danish population, 198
radiology, Three phosphor plate systems and film compared for imaging root canals, 275
recess in oval canal, A primary observation on the preparation and obturation of oval canals, 137
remaining root structure, A reconstructed computerized tomographic comparison of Ni–Ti rotary GT™ files versus traditional instruments in canals shaped by novice operators, 476
resurgery, The outcome of endodontic resurgery: a systematic review, 169
restorative coronal treatment, A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
retreatment, Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
The efficacy of gutta-percha removal using ProFiles, 267
The influence of ultrasound on the retention of cast posts cemented with different agents, 93
Retroplast, Periapical healing of mandibular molars after root-end sealing with dentine-bonded composite, 285
retrotips, An *in vitro* study comparing root-end cavities prepared by diamond-coated and stainless steel ultrasonic retrotips, 142
root, A case of unusual anatomy: a mandibular second premolar with four canals, 645
root apex, Bacteria on the apical root surfaces of untreated teeth with periradicular lesions: a scanning electron microscopy study, 216
root canal, An *in vitro* evaluation of the antimicrobial efficacy of irrigants on biofilms of root canal isolates, 300
Quality of cold and warm gutta-percha fillings in oval canals in mandibular premolars, 485
Root and canal morphology of Burmese mandibular molars, 359
Root and canal morphology of Burmese maxillary molars, 620
Digitization, analysis and processing of dental images during root canal preparation with Quantec Series 2000 instruments, 29
root canals, Antimicrobial effectiveness of electro-chemically activated water as an endodontic irrigation solution, 237
Three phosphor plate systems and film compared for imaging root canals, 275
root canal debris, Effectiveness of oxidative potential water as a root canal irrigant, 308
root canal filling, The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points, 23
root canal instrumentation, A methodology for quantitative evaluation of root canal instrumentation using micro-computed tomography, 390
root canal irrigation, Effectiveness of oxidative potential water as a root canal irrigant, 308
root canal preparation, A methodology for quantitative evaluation of root canal instrumentation using microcomputed tomography, 390
The standardized-taper root canal preparation – Part 3. GT file technique in Large Root canals with small apical diameters, 149
The standardized-taper root canal preparation – Part 4. GT file technique in Large Root canals with large apical diameters, 157
The standardized-taper root canal preparation – Part 5. GT file technique in Small Root canals, 244
The standardized-taper root canal preparation – Part 6. GT file technique in abruptly curved canals, 250
A survey of interfacial forces used during endosonic instrumentation of root canals, 54
The standardized-taper root canal preparation – Part 2. GT file selection and safe handpiece-driven file use, 63
root canal therapy, Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis, 429
root canal treatment, An audit of root canal treatment performed by undergraduate students, 501
An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514
The microscopic diagnosis and treatment of a mandibular second premolar with four canals, 406
A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
Root canal treatment in an unusual maxillary first molar: a case report, 649
root dentine, Effect of calcium hydroxide form and placement on root dentine pH, 417
root filling, The quality of root fillings remaining in mandibular incisors after root-end cavity preparation, 613
root fillings, Dye penetration in dry and water-filled gaps along root fillings, 133
root-end cavity preparation, Periradicular surgery of molars: a prospective clinical study with a one-year follow-up, 520
root-filled teeth, A comparison of the quality of root canal treatment in two Danish subpopulations examined in 1974–75 and 1997–98, 607
rotary, Digitization, analysis and processing of dental images during root canal preparation with Quantec Series 2000 instruments, 29
rotary instruments, Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals, 107
Cyclic fatigue of ProFile rotary instruments after prolonged clinical use, 386
Quantec SC rotary instruments versus hand files for gutta-percha removal in root canal retreatment, 514
rotary technique, The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533

© 2001 Blackwell Science Ltd

rotational speed, Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47

safety, The standardized-taper root canal preparation – Part 2. GT file selection and safe handpiece-driven file use, 63
S. exigua, Detection of *Slackia exigua*, *Mogibacterium timidum* and *Eubacterium saphenum* from pulpal and periradicular samples using the Polymerase Chain Reaction (PCR) method, 463
SEM, The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study, 533
shaping, Curved molar root canal preparations using Hero 642 rotary nickel–titanium instruments, 631
simulated canals, Canal shapes produced sequentially during instrumentation with Quantec SC rotary nickel–titanium instruments: a study in simulated canals, 107
The use of computed tomography when comparing nickel–titanium and stainless steel files during preparation of simulated curved canals, 452
small roots, The standardized-taper root canal preparation – Part 5. GT file technique in Small Root canals, 244
smear layer, Coronal leakage following three obturation techniques, 293
Effectiveness of oxidative potential water as a root canal irrigant, 308
sodium hypochlorite, Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus, 113
Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain, 120
In vitro antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*, 424
Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite, 206
solvents, The efficacy of gutta-percha removal using ProFiles, 267
sonic microtip, Periradicular surgery of molars: a prospective clinical study with a one-year follow-up, 520
South Asian Pakistanis, Root canal systems of the mandibular and maxillary first permanent molar teeth of South Asian Pakistanis, 263
sterilization, Efficacy of chemical sterilization and storage conditions of gutta-percha cones, 435
storage, Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite, 206
storage conditions, Efficacy of chemical sterilization and storage conditions of gutta-percha cones, 435
strain, Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain, 120
streptococci, *Enterococcus faecalis* – a mechanism for its role in endodontic failure, 399
submucous injection, The histological effects of four endodontic sealers implanted in the oral mucosa: submucous injection versus implant in polyethylene tubes, 377
success, Correlation between clinical success and apical dye penetration, 637
surgical endodontics, The outcome of endodontic resurgery: a systematic review, 169
surgical failure, Calcium hydroxide in endodontic retreatment after two nonsurgical and two surgical failures: report of a case, 72
swelling, An unusual swelling following endodontic and prosthodontic treatment of a mandibular molar due to a foreign body reaction, 562
systematic review, The outcome of endodontic resurgery: a systematic review, 169

technical quality, An audit of root canal treatment performed by undergraduate students, 501
teeth, Pattern of transmission of laser light through carious molar teeth, 526
temperature, Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite, 206
Thermafil, Coronal leakage following three obturation techniques, 293
thermal properties, Alpha- and beta-forms of gutta-percha in products for root canal filling, 447
three-dimensional imaging, A methodology for quantitative evaluation of root canal instrumentation using micro-computed tomography, 390
through and through periradicular lesion, The use of calcium sulphate in the surgical treatment of a 'through and through' periradicular lesion, 189
torque, Influence of rotational speed, torque and operator's proficiency on ProFile failures, 47
treatment, Aetiology of root canal treatment failure: why well-treated teeth can fail, 1
treatment planning, The influence of specialty training and experience on decision making in endodontic diagnosis and treatment planning, 594
Treponema denticola, Polymerase chain reaction detection of *Treponema denticola* in endodontic infections within root canals, 280
tubule invasion, *Enterococcus faecalis* – a mechanism for its role in endodontic failure, 399
two roots, Root canal treatment in mandibular canines with two roots: a report of two cases, 331

UK, A study of endodontic treatment carried out in dental practice within the UK, 16
ultrasonic preparation, An *in vitro* study comparing root-end cavities prepared by diamond-coated and stainless steel ultrasonic retrotips, 142
ultrasound, The influence of ultrasound on the retention of cast posts cemented with different agents, 93
ultrasound in endodontics, The use of ultrasound for cleaning the surface of stainless steel and nickel–titanium endodontic instruments, 581
undergraduates, An audit of root canal treatment performed by undergraduate students, 501

variable taper files, The standardized-taper root canal preparation – Part 2. GT file selection and safe handpiece-driven file use, 63
The standardized-taper root canal preparation – Part 3. GT file technique in Large Root canals with small apical diameters, 149

warm vertical compaction, Coronal leakage following three obturation techniques, 293
wide apices, The standardized-taper root canal preparation – Part 4. GT file technique in Large Root canals with large apical diameters, 157
working length, Methodological considerations in the determination of working length, 371

© 2001 Blackwell Science Ltd